

**Exam : IBM 000-171**

**Title : IBM BPM Blueprint: WebSphere  
Lombardi Edition V7.1  
Developm**

**Version : DEMO**

**<http://www.test4actual.com>**

1. When the developer uses the Activity Wizard, what are control labels based on?

- A. Variable names
- B. Variable type names
- C. Default text
- D. Documentation tab


**Answer: A**

2. What is the proper way to add a parameter to a Java Integration Component?

- A. Add a parameter to the Human Service.
- B. Add a parameter to the General System Service.
- C. Add a parameter to the Integration Component.
- D. None of the above

**Answer: D**

3. Refer to the Exhibit.



Which variables are passed by value?

- A. Simple variables passed from Publish Position to Web to a subprocess.
- B. Simple variables passed from Open New Position to the Open Position service.
- C. Complex variables passed from Publish Position to Web to a subprocess.
- D. Complex variables passed from Open New Position to the Open Position service.

**Answer:** ABD

4. At the BPD level, a private variable and input variable can have the same name.

- A. True
- B. False

**Answer:** B

5. Given a process where in one step an agent enters a refund amount, and in the next step a manager either Approves it or Rejects the refund. In the approval step, the variable refundAmount will be mapped as:

- A. private
- B. input
- C. output
- D. output and private
- E. input and private

**Answer:** B

6. Given a process where in one step an agent enters a refund amount, and in the next step a manager either Approves it or Rejects the refund. In the approval step, the variable approved will be mapped as:

- A. private
- B. input
- C. output
- D. output and private
- E. input and private

**Answer:** C

7. if the activity "Rework" in a process is performed by both "Reworkers" and "Assembly Operators", then:

- A. create a separate process for each and link the process back to the higher level process.
- B. duplicate the activity in both the Reworker swimlane and in the Assembly Operator swimlane.
- C. use a nested process in order to create two participant swimlanes for that activity and then assign the task to the first available participant.
- D. choose the group that is ultimately responsible for the rework and if both parties are responsible, then create a swimlane that includes both participants.

**Answer: D**

8. When routing to "Lane Participant," the Task will be assigned to the Participant group defined for that swimlane.

- A. True
- B. False

**Answer: A**

9. Which statement is true regarding exclusive (XOR) gateways?

- A. Only one outgoing sequence condition can be true.
- B. Outgoing default condition is only met if none of the conditions are true.
- C. Evaluation of subsequent conditions continues even after one condition is met.
- D. Conditions are evaluated top to bottom as defined in the gateway's property tab.

**Answer: A**

10. The "tolerance interval" in the intermediate timer event is used to:

- A. build in a certain level of tolerable inefficiency into the process
- B. take into account weekends, holidays and other task downtimes
- C. specify an additional delay if the work is in progress
- D. specify an additional delay irrespective of whether the work is in progress or not

**Answer: C**

11. "Escalations" are used in WebSphere Lombardi Edition modeling to:

- A. automate processes by using non-human tasks
- B. add a level of sophistication to the process model
- C. improve the process by solving problematic tasks
- D. make sure metrics relating to process cycle times are met

**Answer:** D

12. Select the best practice(s) for naming variables and variable types from the list of best practices below.

- A. Any variables passed in and out of a BPD should have the same name.
- B. Names of variable types should be camel case (vacationStartDate).
- C. Name the variables based on what specific data will be represented by the variable. (i.e. Don't use "date" for a vacation start date if there might ever be other dates in your process.)
- D. Don't worry about capitalization. WebSphere Lombardi Edition is not case sensitive.

**Answer:** AC

13. How variables are named affect the initial display of labels in the Coach Designer.

- A. True
- B. False

**Answer:** A

14. Using our suggested naming convention, how should the following variable and variable type be named? The names will be displayed like this: variable name (variable type name)

- A. fullName (FullName)
- B. FullName (fullName)
- C. Full Name (fullName)
- D. full name (FullName)

**Answer:** A

15. What are some advantages of using complex data structures?

- A. Simple variables allow for more authoring errors.

- B. Simple variables are more involved to initialize than complex data structures.
- C. Complex data structures are easier for business users to understand.
- D. Complex structures exchange information with nested services and processes in less steps.

**Answer:** AD

[www.test4actual.com](http://www.test4actual.com)