

Test4actual, 100% Accurate Answers!!!



Help you pass any IT exam!

IBM 000-433

IBM Tivoli Storage Manager V5.5 Implementation

Q&A DEMO

English: www.Test4actual.com

BIG5: www.Test4actual.net

GB: www.Test4actual.cn

www.test4actual.com

1. A customer has a requirement to reduce the costs of their off-site vaulting. The customer wants to eliminate costs associated with the manual labor of moving tapes with secure data to a second site.

How can Tivoli Storage Manager (TSM) V5.5 best meet the customers requirement?

- A.by using electronic vaulting of the TSM data
- B.by creating the secondary tapes and leaving them on-site
- C.by using a hardware disk solution to mirror the client data to the remote location
- D.by using TSM to restore the data that was backed up in the primary site to the secondary site

ANSWER: A

2. A customer has the following requirements: use of the existing AIX TSM server instance, nightly backups, seven Exchange servers, three UNIX servers, four terabytes total data, 10% nightly change, and 30% annual growth.

You have been asked to recommend the appropriate Tivoli Storage Manager (TSM) V5.5 software environment to meet these requirements.

Which two TSM components are required? (Choose two.)

- A.TSM for Mail
- B.TSM for SharePoint
- C.TSM Extended Edition
- D.TSM for Space Management
- E.TSM for System Backup and Recovery

ANSWER: AC

3. A Tivoli Storage Manager (TSM) V5.5 client has been successfully installed on a Windows 2003 server. The administrator has configured Logical Volume Snapshot Agent (LVSA) function for Open File Support (OFS) through the wizard. The customer has the following requirements:

The Windows 2003 server must use VSS (Volume Shadowcopy Services).

Drive C: must be processed with OFS.

Drive D: must not be processed with OFS.

Which options must be defined in the dsm.opt file to meet these requirements?

- A.include.fs c: snapshotproviderfs=vss
include.fs d: snapshotproviderfs=none
- B.include.fs c: snapshotproviderfs=yes
include.fs d: snapshotproviderfs=none

C.include.fs c: imagetype=dynamic

include.fs d: imagetype=static

D.include.fs c: snapshotproviderfs=dynamic

ANSWER: A

4. What is a limitation of the Tivoli Storage Manager (TSM) Operational Reporting stand alone package?

- A. Web link summary options are not available to check operational reports about the server.
- B. The stand alone package does not support TSM servers running on non-Windows platforms.
- C. If a TSM server requires attention, the message may not provide a recommendation for getting it running again.
- D. If you install the stand alone version and later decide to install the TSM server on Windows, you must first uninstall the stand alone console.

ANSWER: D

5. Which installation authority is required to install the Tivoli Integrated Solutions Console on the AIX platform?

- A. bin user
- B. root user
- C. non-root user
- D. administrative user

ANSWER: B

6. How can you stop the distribution of a profile from the configuration manager to the managed system?

- A. delete profileassociation on the configuration manager for the target managed system
- B. delete subscription issued on the configuration manager for the target managed system
- C. delete subscription for the configuration manager issued on the target managed system
- D. delete profilesubscription for the configuration manager issued on the managed system

ANSWER: C

7. What is the correct sequence of daily actions required for a Disaster Recovery Manager (DRM) plan to be valid?

- A. 1. back up client files
- 2. back up the primary storage pools
- 3. back up the database (for example, a database snapshot backup)
- 4. move the disaster recovery media using the move DRMedia command
- 5. generate the Disaster Recovery Plan
- 6. send the backup volumes and Disaster Recovery Plan file to the vault
- B. 1. back up the database (for example, a database snapshot backup)
- 2. back up client files

3. back up the primary storage pools
 4. move the disaster recovery media using the move DRMedia command
 5. send the backup volumes and Disaster Recovery Plan file to the vault
 6. generate the Disaster Recovery Plan
- C.1. back up client files
2. back up the primary storage pools
 3. back up the database (for example, a database snapshot backup)
 4. generate the Disaster Recovery Plan
 5. move the disaster recovery media using the move DRMedia command
 6. send the backup volumes and Disaster Recovery Plan file to the vault
- D.1. back up client files

ANSWER: A

8. Which two options can be used in the backup-archive client option files for Windows and AIX to specify the location for the storage of the encryption key? (Choose two.)
- A.passworddir
 - B.securelocation
 - C.passwordlocation
 - D.encryptkeylocation
 - E.encryptkey generate

ANSWER: AE

9. A companys objectives for data storage are to have a copy of data on-site and a copy of data off-site, as well as to ensure quick restore times of data.
Which storage pool configuration should you use to meet these objectives?
- A.random access primary storage pool, sequential LTO copy storage pool, sequential FILE active-data pool
 - B.random access primary storage pool, sequential LTO primary storage pool, sequential LTO copy storage pool
 - C.sequential FILE primary storage pool, sequential LTO primary storage pool, sequential LTO copy storage pool
 - D.sequential File primary storage pool, sequential LTO primary storage pool, sequential FILE copy storage pool

ANSWER: A

10. What does the MIGDELAY attribute of a storage pool do?
- A.specifies the maximum number of days the migration process can run continually
 - B.specifies a delay in days where the migration process remains paused when the MIGMAX

threshold is reached

C.specifies the minimum number of days a file must remain in a storage pool before it becomes eligible for migration

D.specifies the maximum number of days a file can remain in a storage pool before an immediate migration is forced for this file

ANSWER: C

www.test4actual.com