


***Test4actual, 100% Accurate Answers!!!***



**Help you pass any IT exam!**

Oracle 1Z0-259

Hyperion Planning 4.1 Consultant

Q&A DEMO

English: [www.Test4actual.com](http://www.Test4actual.com)

BIG5: [www.Test4actual.net](http://www.Test4actual.net)

GB: [www.Test4actual.cn](http://www.Test4actual.cn)

1. Which Action can be used to create Level zero blocks within Hyperion Business Rules (HBR)?

- A. Aggregate Data
- B. Copy Formula
- C. Copy Data
- D. Clear Data

Answer: C

2. Metadata security has been set to be exactly the same for all users. If a Web form has been created enabling users to dynamically add rows, which two statements are valid? (Choose two.)

- A. Users will see the initial rows and all rows added by all users the next time they open the Web form.
- B. Users with Read Access to the Web form can dynamically add rows to the Web form.
- C. Users need Write Access to the Web form to dynamically add rows to the Web form.
- D. Users will see the initial rows and only the rows they added to the Web form the next time they open the Web form.

Answer: AB

3. Which Hyperion Application Link Adapter can be used for loading data values?

- A. Hyperion Business Rules Adapter
- B. Hyperion Planning Adapter
- C. Hyperion SmartView for Office Adapter
- D. Hyperion Analytic Services Adapter

Answer: D

4. What two changes to the application would require the HspCRtB.csc script be re-run? (Choose two.)

- A. Changed the Exchange Rate Type for an account from Average to Ending
- B. Changed the Data Type for a Saved Assumption account from Percentage to Currency
- C. Changed the Data Storage on East Region entity from Dynamic Calc to Store
- D. Changed the Account Type from Revenue to Expense

Answer: AB

5. Which two statements are true about assigning members to plan types? (Choose two.)

- A. If User-defined custom dimension has been assigned to a plan type in the application, you cannot assign which members are valid in that plan type.
- B. If the plan type is not assigned to a member, that member's children will not have access to that plan type or its aggregation options.
- C. If you have more than one plan type in an application, you cannot assign more than one plan type to an individual dimension member.
- D. If you use a User-defined custom dimension, you can specify the source plan type for the members.

Answer: AB

6. What action creates the HSP\_Rates dimension?

- A. Creating a new Exchange Rate table and refreshing the application
- B. Setting up an application that supports multiple currencies
- C. Creating a new currency and refreshing the application
- D. Running a Currency Conversion CalcScript during a refresh

Answer: B

7. Which three predefined types of base time periods can be established when creating the calendar? (Choose three.)

- A. Weekly
- B. Monthly
- C. Quarterly
- D. Yearly
- E. Custom

Answer: BCE

8. When should you use multiple plan types?

- A. When detailed revenue information must be separate from high-level P and L summary accounts
- B. When multiple currencies must be kept in a separate database
- C. When exchange rates must be kept in a separate database
- D. When data cannot be shared across an organization

Answer: A

9. Which two statements are true? (Choose two.)

- A. You can assign only aggregation options to User-defined custom dimension members.
- B. You can assign plan types and aggregation options to User-defined custom dimension members.
- C. You can assign only aggregation options to Entity dimension members.
- D. You can assign plan types and aggregation options to Entity dimension members.

Answer: AD

10. When defining the base time period and weekly distribution methods, which statement is true?

- A. If you select a Weekly distribution method, Hyperion Planning sets every account member to that distribution method.
- B. The weekly distribution pattern options are available only if you select the base time period option 12 Months.
- C. If you select the 4-4-5 pattern, Hyperion Planning treats the first month in a quarter as if it has four weeks, and the last two months in the quarter as if they have five weeks.
- D. Hyperion Planning allows you to set up weekly distribution patterns, which determine how values are spread when the base time period is monthly.
- E. Hyperion Planning automatically distributes the value over the base time periods that make up the summary time period.

Answer: E

11. Which element can be changed after the Hyperion Planning application has been created?

- A. weekly distribution spread
- B. default currency
- C. number of years
- D. number of plan types
- E. starting fiscal year and month

Answer: C

12. During the initial application setup, two plan types were created. The administrator now wants to add a third plan type. How can this be accomplished?

- A. After the application has been created, the number of plan types cannot be changed via the Planning Desktop.
- B. Go to Manage Database and create a new plan type.
- C. Go into Analytic Administration Services and create a new database for this application.

D. Walk through Setup Application again for the same application.

Answer: A

13. Plan Type 1 is specified as the source plan type for a member. This member is selected on a form associated with Plan Type 2. Which statement is true?

- A. Assuming write access to the member, the user can enter data to the member on the form.
- B. Assuming the planning unit is promoted to the user, the user can enter data to the member on the form.
- C. The member is not displayed on the form.
- D. The user will see the member displayed as read-only on the form.

Answer: D

14. If you choose the Use Calculator Cache option in the Aggregate Data component, what two statements are true? (Choose two.)

- A. It only improves calculation performance on two pass calculations.
- B. It can significantly improve calculation performance.
- C. In the Analytic Services setting, the CALCCACHE setting must be selected.
- D. The CALCCACHE setting must be included in the Essbase.cfg file.

Answer: BD

15. The administrator needs to execute several calculations sequentially against two different databases. Which three execution options are appropriate? (Choose three.)

- A. Batch file
- B. Esscmd
- C. Business Rule Sequence
- D. Calc script

Answer: ABC