


Test4actual, *100% Accurate Answers!!!*



Help you pass any IT exam!

3COM 3M0-600

3Com Wireless Specialist Final Exam v1.0

Q&A DEMO

www.test4actual.com

1: Which functionality is transferred from 3Com Access Points (APs) to the 3Com Wireless LAN Controller/Switch, creating Fit APs or Managed Access Points (MAPs) with the 3Com Wireless LAN Mobility System?

- A. Radio frequency (RF) radio, encryption and roaming
- B. Encryption, roaming and security policy
- C. Authentication, roaming and security policy
- D. Encryption, authentication, roaming and security policy
- E. Encryption, authentication and security policy

Answer: C

2: Wireless LAN (WLAN) IEEE 802.11a Turbo Mode bonds two channels together for up to 108 Mbps data rates.

- A. False
- B. True

Answer: B

3: What can the 3Com Wireless LAN Switch Manager (3WXM) do when it discovers a wireless rogue device?

- A. Flood the access point (AP), causing a Denial of Service (DoS) condition
- B. Verify the IP address of the rogue device and send the information to a Syslog server
- C. Verify the IP address of the rogue device and send the information to the management software, which blocks future packets from the device
- D. Deactivate the access point (AP) and send a message to the network management software

Answer: A

4: What is a key alignment issue when installing an outdoor Wireless LAN (WLAN) panel antenna?

- A. Identical vertical and/or horizontal polarization
- B. Fresnel zone obstructions
- C. Acknowledgement delay timeout (ACK) setting
- D. Length of the antenna cable from the wireless bridge

Answer: A

5: The network administrator can draw or import a JPEG or AutoCAD building floor plan using the 3Com Wireless LAN Switch Manager (3WXM).

- A. True
- B. False

Answer: A

6: Which three are features of 3Com Dynamic Security Link? (Choose three.)

- A. Local and remote access point (AP) authentication and encryption support
- B. Per user, per session dynamic key encryption
- C. Internal database supporting up to 1,000 user names and passwords
- D. 40-, 128- and 168-bit shared key encryption support
- E. Superior wireless security for networks without a centralized authentication server

Answer: B,C,E

7: The 3Com Wireless LAN Access Point 8xx0 family supports a single Virtual Access Point (VAP) per RF radio installed in the unit.

- A. False
- B. True

Answer: A

8: You have installed the 3Com 11a/b/g Wireless PC Card with XJACK Antenna card its software. What is the next step required in the PC Card installation before you can access the Wireless LAN (WLAN)?

- A. Using Wireless LAN Profile Manager, select the PC Card icon, click "Enable," then choose the appropriate access point (AP) and click "Connect"
- B. Using Wireless LAN Profile Manager, create a new profile, choose the appropriate access point (AP) and click "Connect"
- C. Using Wireless LAN Profile Manager, click "Discover" and from the discovered-list choose the appropriate access point (AP) and click "Connect"
- D. Using Wireless Infrastructure Device Manager (WIDM), choose the appropriate access point (AP) and click "Connect"

Answer: B