

**Exam : Microsoft 70-631**

**Title :** TS:Configuring Microsoft Windows  
SharePoint Services3.0

**Update :** Demo

---

**1.You deploy Microsoft Windows SharePoint Services (WSS) 3.0 on three front-end Web servers named WSS1, WSS2, and WSS3. You configure WSS1, WSS2, and WSS3 to equally distribute requests for WSS content. Each server has multiple network adapters. One network adapter on each server is dedicated for intra-array communication. You install a new WSS server named WSS4 and configure it to join the Web server farm. After joining the new server, you receive warning messages about an IP address conflict. You need to configure the Web server farm to equally distribute requests across all four servers. What should you do?**

- A.Configure the Web server farm to Single affinity mode.
- B.Configure the Web server farm to send requests on port 80 to WSS4.
- C.Configure WSS4 to use Unicast mode for intra-array communications.
- D.Configure WSS4 to use Multicast mode for intra-array communications.

**Correct:C**

**2.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. The WSS front-end server is configured with a single network adapter. Your company recently hired 4,000 new employees who all need access to the data on the WSS Web site. You purchase three new server computers. Each server has a single network adapter. You need to distribute all user requests across the four servers. What should you do?**

- A.Configure all four servers in a single Network Load Balancing cluster that uses Internet Group Management Protocol (IGMP) multicasting for intra-array communication.
- B.Configure the three new servers in a single Network Load Balancing cluster that uses unicasts for intra-array communication.
- C.Configure all four servers in an active/passive/passive/passive server cluster.
- D.Configure the three new servers in an active/active/passive server cluster.

**Correct:A**

**3.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0, and you have configured the WSS server to support Secure Sockets Layer (SSL) encryption. Your company has 3,000 mobile employees who work from remote sites. You create a perimeter network by using two third-party firewall devices. You need to configure your WSS infrastructure to meet the following requirements: All external requests for WSS data must be inspected. All external requests for WSS data must be encrypted. Users should not have direct access to the WSS server from outside of the company network. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)**

- A.Configure the internal firewall device to permit incoming traffic over port 443.
- B.Install the Web server certificate from the WSS server on the internal firewall device.
- C.Deploy a Microsoft Internet Security and Acceleration (ISA) Server 2006 computer in the perimeter network. Publish the WSS Web site.
- D.Install the Web server certificate from the WSS server on the Microsoft Internet Security and Acceleration (ISA) Server 2006 computer.

**Correct:C D**

**4.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. A server named Server1 responds to requests for WSS content. All of the content is stored on a server named Server2. You need to provide users with the ability to access WSS content by using http://corpdata.contoso.com. Which two actions should you perform? (Each correct answer**

---

**presents part of the solution. Choose two.)**

- A.Create an alias (CNAME) record for the name CORPDATA that references the name Server2.
- B.Create a new application pool with the name CORPDATA.
- C.Create a host (A) record for the name CORPDATA that references the IP address of Server1.
- D.Configure the WSS Web site to use an alternate URL.

**Correct:C D**

**5.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0 on two servers named WSS1 and WSS2. WSS1 and WSS2 are not part of the same server farm. Users have network places directed to locations on both servers. You want to decommission WSS2 and migrate all sites that are hosted on WSS2 to WSS1. You need to ensure that all users maintain access to all sites. What should you do?**

- A.Edit the host (A) record for WSS2. Configure the IP address of WSS1.
- B.Edit the host (A) record for WSS1. Configure the IP address of WSS2.
- C.Create a host (A) record for WSS2 that maps to the IP address of WSS1.
- D.Create a host (A) record for WSS1 that maps to the IP address of WSS2.

**Correct:A**

**6.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. Your company's internal employees access the WSS Web site by using http://companyweb.contoso.local. Remote employees need to access the same data by using http://extranet.contoso.com. You need to ensure that remote users have access to the WSS Web site. What should you do?**

- A.Create a host header named extranet for the WSS Web site.
- B.Create an alias (CNAME) record named extranet in the contoso.local domain.
- C.Configure an alternate access mapping for http://extranet.contoso.com on the WSS server.
- D.Deploy a secondary zone for contoso.com on an internal DNS server.

**Correct:C**

**7.You deploy Microsoft Windows SharePoint Services (WSS) 3.0 in a four-node Network Load Balancing cluster. The servers in the cluster are named WSS1, WSS2, WSS3, and WSS4. The cluster is configured with a name of WSS and an IP address of 192.168.1.10. You need to ensure that each server receives requests for WSS content. What should you do?**

- A.Use the NLB Manager console to assign WSS1, WSS2, WSS3, and WSS4 with unique priority values of 1, 2, 3, and 4 respectively.
- B.Use the Cluster Administrator to configure WSS1, WSS2, WSS3, and WSS4 on the possible owners list for the IP address object that references 192.168.1.10 and the network name object that references the name WSS.
- C.In the DNS zone, create a host (A) record with a name value of WSS that maps to the IP address 192.168.1.10.
- D.In the DNS zone, create a service locator (SRV) record for the WSS Web site that maps to the name WSS.

**Correct:C**

**8.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You need to configure the WSS server to write only Error-level events to the Windows event log. What should you do?**

- A.On the Usage Analysis Processing page, select the Enable logging option and configure a log file location of C:\ErrorsOnly.

- 
- B. Create a custom Application log view that filters out Warning and Information log entries.
- C. On the WSS Central Administration page, configure the Event Throttling feature.
- D. On the WSS Central Administration page, enable the Periodically download a file that can help identify system problems option.

**Correct:C**

**9. You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You configure the WSS server to use Secure Sockets Layer (SSL) encryption. You need to verify that all access to the WSS Web site is encrypted. What should you do?**

- A. Review the System log on the WSS server.
- B. Review the Internet Information Services (IIS) logs on the WSS server.
- C. Install Microsoft Internet Security and Acceleration (ISA) Server 2006 on an external server. Enable Intrusion Detection Services on the ISA Server computer. Review the logs on the ISA server.
- D. Download the Microsoft Operations Manager (MOM) management pack for WSS 3.0. Install the download on the WSS server. Review the Application log on the WSS server.

**Correct:B**

**10. You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You need to configure the WSS server to create WSS trace logs and capture user-mode error messages. What should you do?**

- A. Enable Diagnostic Logging on the WSS server.
- B. Download and install the Microsoft Operations Manager management pack for WSS on the WSS server.
- C. Create a filtered view of the Application log that enables errors, information, and warnings.
- D. Use the Windows Performance Logs and Alerts management console to create a trace log for the WSS server.

**Correct:A**

**11. You deploy Microsoft Windows SharePoint Services (WSS) 3.0 in multiple Web server farms. Each Web server farm consists of three or more front-end WSS servers. You need to centrally monitor services across all of the WSS servers in the Web server farms. What should you do?**

- A. On each WSS server, configure the Central Administration Diagnostic Logging feature to store trace logs on a network share.
- B. Install Microsoft Operations Manager (MOM). Download and install the WSS management pack on the MOM server.
- C. Create a custom Microsoft Management Console (MMC) that contains the Event Viewer from each WSS server.
- D. Add the Web Service: Current Connections counter for each WSS server to a Performance Monitor chart view.

**Correct:B**

**12. You deploy six servers that run Microsoft Windows SharePoint Services (WSS) 3.0. You need to centrally monitor the WSS servers to identify HTTP 404 errors. What should you do?**

- A. Create a counter log that uses the Network Interface: Bytes Total/Sec counter on each WSS server. Store the counter log results in a Microsoft SQL Server database.
- B. Install Microsoft Operations Manager (MOM) on a network server. Install the IIS management pack on the MOM server.
- C. Configure the IIS Log active format on each WSS server to use the Microsoft IIS Log File Format option.

---

D.Create a custom Microsoft Management Console (MMC) that contains the Event Viewer from each WSS server.

**Correct:B**

**13.You deploy Microsoft Windows SharePoint Services (WSS) 3.0. You store all data on a separate database server. Users report that the WSS server performs slowly during peak business hours. You create a counter log. You need to identify potential hardware bottlenecks. Which three objects should you include in the log? (Each correct answer presents part of the solution. Choose three.)**

- A.Network Interface
- B.Processor
- C.WMI Objects
- D.ASP.NET
- E.Physical Memory

**Correct:A B E**

**14.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You customize the layout and components of a existing page in the WSS site. You need to remove all customizations on this page without losing any data. What should you do?**

- A.Enable the Reset specific page to site definition version option in the site settings.
- B.Restore an earlier version of the site from backup.
- C.Restore the previous page layout from the site collection Recycle Bin.
- D.Use Microsoft Office SharePoint Designer to re-create the original page.

**Correct:A**

**15.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You need to create a Web site page that contains a custom Web Part zone layout. What should you do?**

- A.Create a new Basic page from the Create page of the Site Settings page.
- B.Create a new custom page by using Microsoft Office SharePoint Designer 2007.
- C.Create a new Web Part page from the Create page of the Site Settings page.
- D.Create a Microsoft Office Excel 2007 file that defines the Web Part zone layout. Use the Import Spreadsheet link from the Create page of the Site Settings page.

**Correct:B**

**16.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You need to deploy a custom banner image on all pages in the WSS Web site. What should you do?**

- A.Use an ASCII editor program to edit the Program Files\Common Files\Microsoft Shared\Web Server Extensions\12\TEMPLATE\Layouts\application.master file to include the banner image.
- B.Use Microsoft Office SharePoint Designer 2007 to edit the layout of each page in the site.
- C.Use Microsoft Office SharePoint Designer 2007 to edit the default.master file.
- D.Edit the CSS style sheet for the default site to include a reference to the banner image.

**Correct:C**

**17.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. Developers create a custom Web part for your site. You install the Web part assemblies in the BIN directory and add them to a page on your site. When you load the page, you receive an unhandled exception error and the page is not rendered correctly. You need to ensure that the Web Part displays properly on your site page. What should you do?**

- A.Set the security level of the Trusted Sites zone to Low.

- 
- B. Install the Web part assemblies in the wpresources directory on the WSS server.
  - C. Instruct the developers to digitally sign the code for the Web part.
  - D. Instruct the developers to include error handling in the code for the Web part.

**Correct: D**

**18. You plan to deploy Microsoft Windows SharePoint Services (WSS) 3.0. You need to design a WSS infrastructure to meet the following requirements: User requests for WSS content should be distributed across multiple servers. WSS content should be centralized. What should you do?**

- A. Deploy two or more WSS front-end servers running local instances of Microsoft SQL Server 2005 to store the content database.
- B. Deploy two or more WSS front-end servers. Store the content database on a single instance of Microsoft SQL Server 2005.
- C. Deploy a single WSS front-end server. Deploy two or more instances of Microsoft SQL Server 2005 to store the content database.
- D. Deploy two complete installations of WSS.

**Correct: B**

**19. You have deployed Microsoft Windows SharePoint Services (WSS) 2.0 with a single site collection. You need to upgrade to Windows SharePoint Services 3.0 while maintaining all existing URLs. What should you do?**

- A. Install WSS 3.0 on a new server and configure an alternate URL that refers to the WSS 2.0 server.
- B. Install WSS 3.0 over the existing WSS 2.0 deployment.
- C. Attach the content database to a new Microsoft SQL Server 2005 instance. Install WSS 3.0 on a new server and create an alias (CNAME) record that references the old server name.
- D. Use the Smigrate.exe tool to migrate the site collection.

**Correct: B**

**20. You upgrade a Microsoft Windows SharePoint Services (WSS) 2.0 deployment to WSS 3.0. The WSS 2.0 deployment provided site access in English, German, and Spanish. After the upgrade, users cannot access sites in German or Spanish. You need to ensure that users can access sites in English, German, and Spanish. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)**

- A. Create two new copies of the content database. Alter the two new database collations to match the German language and Spanish language character sets.
- B. Install the Language Template pack on the WSS 3.0 server.
- C. Install the Windows Server 2003 German and Spanish input languages.
- D. Run the SharePoint Products and Technologies Configuration wizard.

**Correct: B D**

**21. You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. A WSS server hosts a production WSS Web site and a staging WSS Web site for the developer group. Each site uses its own Web application. The developer group uses the staging site to test custom Web parts. When a new custom Web part is tested in the staging site, both sites fail. You need to ensure that development testing on the staging site does not affect the production site. What should you do?**

- A. Configure the application pool identity to use a non-administrative user account.
- B. Configure each Web application to run in its own application pool.
- C. Increase the Rapid Fail Protection value for the application pool.

---

D.Create a separate ISAPI filter for each of the WSS Web sites.

**Correct:B**

**22.You deploy Microsoft Windows SharePoint Services (WSS) 3.0 in a three-server Web farm. Your company has an existing Public Key Infrastructure (PKI) and Information Rights Management (IRM) deployment in place. You need to configure WSS 3.0 document protection to prevent users from printing or saving documents. What should you do first?**

A.Obtain and install a Web server certificate from a public certification authority.

B.Install the Windows Rights Management client Service Pack 2 or later on each front-end Web server.

C.Install the root certification authority (CA) certificate to the Trusted Root Certification Authorities on each server in the farm.

D.Create a /IRM managed path and build all sites that require document protection under the /IRM managed path.

**Correct:B**

**23.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You create a new WSS site to distribute documents to company employees. You need to ensure that users can automatically submit a request to obtain elevated permission levels for the site. You also need to ensure that only approved users are granted elevated permission levels. What should you do?**

A.Create a custom group in the Site Settings page. Configure the group to auto-accept requests for membership.

B.Create a custom group in the Site Settings page. Configure the group properties to allow requests to join or leave the group.

C.Add a custom link to the document library list page with the e-mail address of the group owner. Configure the link to instantiate an e-mail application.

D.Add a custom link to the document library list page that opens a Microsoft Office InfoPath form for users to complete when they request elevated permissions.

**Correct:B**

**24.You deploy Microsoft Windows SharePoint Services (WSS) 3.0. The WSS Web site is accessible to external users that do not belong to your Active Directory domain. You store all user names and passwords in a Microsoft SQL Server 2005 database named Customers. You configure the WSS Web application to use forms-based authentication. Users report that they are not able to authenticate. You need to ensure that the external users can authenticate before they are granted access to the Web site. What should you do?**

A.Create a custom Web part named Authentication that contains a Microsoft Office InfoPath form.

B.Configure the Web application to use Web Single sign-on authentication.

C.Provide the users with a Web authentication form that is stored in an SSL-protected virtual directory.

D.Specify the authentication provider in the web.config file.

**Correct:D**

**25.You deploy Microsoft Windows SharePoint Services (WSS) 3.0 so that users can publish content to the Internet. You need to ensure that all Internet users have access to the WSS Web site. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)**

A.Enable Digest authentication for the WSS Web site.

B.Enable anonymous access for the WSS Web site.

- C.Enable Integrated authentication for the Web application.
- D.Enable anonymous access for the Web application.

**Correct: B D**

**26.You deploy Microsoft Windows SharePoint Services (WSS) 3.0 on a Web server farm that has three servers named WSS1, WSS2, and WSS3. All traffic is distributed across the three servers. Users access the Web server farm by using http://companyweb.contoso.com. You need to install certificates to enable SSL encryption for all requests that are submitted to the Web server farm. You also need to ensure that users do not receive SSL errors from their Web browser. What should you do?**

- A.Obtain three certificates from a trusted certification authority (CA) with common names of wss1.contoso.com, wss2.contoso.com, and wss3.contoso.com. Install the appropriate certificate on each server in the Web server farm.
- B.Obtain a single certificate from a trusted certification authority (CA) with a common name of contoso.com. Install the certificate on each server in the Web server farm.
- C.Obtain a single certificate from a trusted certification authority (CA) with a common name of companyweb.contoso.com. Install the certificate on each server in the Web server farm.
- D.Create and install a self-signed certificate for each server in the Web server farm.


**Correct: C**

**27.You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You create a document library for the managers in your company. You need to ensure that managers can only view and add content to the document library. Which permissions level should you provide for the managers?**

- A.Contributor
- B.Members
- C.Visitors
- D.Owners

**Correct: B**

**28.You plan to deploy Microsoft Windows SharePoint Services (WSS) 3.0 on a server named WSSPUB. WSSPUB is a member of a workgroup named CONTOSOWG and will be publicly accessible. You will store all content databases on a member server named SQL1.contoso.com, which runs Microsoft SQL Server 2005. The internal firewall allows inbound traffic over ports 3389 and 1433. The relevant portion of the network is shown in the exhibit. (Click the Exhibit button.) You need to ensure that you can create all content databases on SQL1. What should you do?**



- A.Install the Named Pipes network library on SQL1 and WSSPUB.
- B.Create mirrored user accounts on SQL1 and WSSPUB. Use the mirrored user accounts to install and

---

configure WSS.

C. Configure SQL1 to use only Windows authentication.

D. Configure SQL1 to use SQL Server authentication and Windows authentication.

**Correct:D**

**29. You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. During the configuration of a new SharePoint site the database creation fails. You want to store the content database on a separate server named SQL1, which runs Microsoft SQL Server 2005. You need to ensure that you can create the new content database on SQL1. You also need to minimize the amount of permissions provided to all accounts. What should you do?**

A. Configure the installation account as a member of the local Administrators group on SQL1.

B. Configure the installation account as a member of the dbcreator and securityadmin SQL Server 2005 server roles.

C. Configure the installation account as a member of the local Administrators group on the WSS server.

D. Restart the SQL Server Agent service on SQL1.

**Correct:B**

**30. You have deployed Microsoft Windows SharePoint Services (WSS) 3.0. You configure WSS to use a custom authentication provider to authenticate remote users that do not belong to your Active Directory domain. Remote users report that they receive authentication errors. You need to ensure that remote users are able to authenticate to the WSS Web site. What should you do?**

A. Use the IIS Manager management console to configure the Web site to use Basic authentication.

B. Restart the Netlogon service on the WSS server.

C. Edit the web.config file to specify the connection string details, membership, and role information for the custom authentication provider.

D. Configure the Active Directory object for the WSS server to be Trusted for delegation.

**Correct:C**