

Exam : Fortinet 925-201b

**Title : 3Com Certified Enterprise LAN Pre-Sales
Expert version 3.2**

Update : DEMO

<http://www.test4actual.com>

1. Which of the following default factory setting is true about Fortigate unit?

- A. internal: 192.168.1.99/24; http, https, ping, ssh access is enabled
- B. external: 192.168.100.99/24; ping is enabled
- C. internal: 192.168.1.99/24;https,ping,ssh access is enable
- D. external: 192.168.100.99/24;ping & http is enable

Answer: A , B

2. Which of the following firmware upgrade method will cause configuration reset?

- A. WebUI
- B. CLI
- C. Fortimanager
- D. interrupt booting procedure by CLI

Answer: D

3. Which of the following statement about TCP MTU for Fortigate is true?

- A. default MTU is 1500 bytes
- B. For manual and DHCP addressing mode the MTU size can be from 576 to 1500 bytes
- C. for PPPOE addressing mode the MTU size can be from 576 to 1492 bytes
- D. default MTU is 1492 bytes

Answer: A , B, C

4. What is the valid method to fixup Fortigate interface speed&duplex?

- A. via web GUI
- B. via CLI
- C. via auto update
- D. via foritlog

Answer: B

5. What are the necessary procedure before using Xauth . ?

- A. create user group
- B. create firewall policy
- C. enable IPSEC VPN
- D. enable PPTP

Answer: A , B, C

6. Which one is the most efficient way to block MSN traffic by Fortigate unit ?

- A. Use IPS module by applying protection profile

- B. Use Antivirus engine
- C. Use firewall policy
- D. Use content filtering

Answer: A

7. What is the valid web script filtering option for web filtering ?

- A. Java Applet
- B. Worm
- C. ActiveX
- D. Cookie

Answer: A, C, D

8. What is the best way to implement Fortigate HA ?

- A. connect corresponding interface to individual switch
- B. connect all interface to the same hub or switch
- C. connect corresponding interface directly using cross-over cable
- D. connect corresponding interface directly using straight-through cable

Answer: A

9. What is the valid address object in Fortigate unit ?

- A. 10.1.1.1 / 255.255.255.0
- B. 10.1.1.1 / 255.255.255.255
- C. 10.1.1.1 / 255.255.255.248
- D. 10.1.1.1 / 255.255.255.252

Answer: B

10. What is the valid network in Fortigate

- A. 10.1.1.0 / 255.255.255.0
- B. 10.1.1.1 / 255.255.255.0
- C. 10.1.1.0 / 255.255.255.255
- D. 10.1.1.0 / 255.255.0.0

Answer: B, D

11. What is the valid ipsec phase 1 option

- A. des
- B. 3des
- C. md5
- D. sha1

Answer: A, B

12. what is the valid ipsec pahse 2 option

- A. des
- B. 3des
- C. md5
- D. sha1

Answer: C, D

13. What is valid router object of Fortigate unit ?

- A. prefix list
- B. route map
- C. key chain list
- D. access list

Answer: A , B, C

14. What service can protection profile protect?

- A. ftp
- B. IMAP
- C. POP3
- D. http
- E. SMTP

Answer: A , B, C , D , E

15. What is the default protection profile ?

- A. strict
- B. scan
- C. web
- D. unfiltered

Answer: A , B, C , D

16. What are the valid option in web filtering ?

- A. content block
- B. url block
- C. exempt list
- D. script filtering

Answer: A , B, C , D

17. What is the valid IPS option ?

- A. IPS signature
- B. IPS anomaly

- C. IPS engine
- D. IPS list

Answer: A , D

18. Which logging can enable when enable protection profile content log?

- A. HTTP
- B. FTP
- C. IMAP
- D. POP3
- E. SMTP

Answer: A , B , C , D

19. What is the valid option of Fortigate HA schedule

- A. none , hub , least-connection , round-robin
- B. weighted round-robin , random , ip , ip port
- C. switch , ip , ip port
- D. priority , hub , least-connection

Answer: A , B

20. Which command can show HA status ?

- A. get system status
- B. diag sys ha status
- C. exec ha maga 1
- D. get sys lic
- E. config ha

Answer: A , b , ,C

21. What is the correct match order to choose a cluster master ?

- 1. monitor port priority.
- 2. Age.
- 3. Unit Priority.
- 4. Serial number

- A. 1 , 2 , 3 , 4
- B. 1 , 3 , 2 , 4
- C. 2 , 1 , 3 , 4
- D. 2 , 4 , 1 , 3
- E. 4 , 1 , 3 , 2

Answer: A

www.test4actual.com