

Exam : COG-105

Title : IBM Cognos 8 BI Technical Specialist

Version : V10.26

<http://www.test4actual.com>

1.Each time a configuration is altered and saved, date-stamped versions of these two configuration files are automatically saved in the c8_location/configuration directory. What are these two files?

- A.cogformat.xsd and cqeconfig.xsd
- B.cogstartup.xml and coglocale.xml
- C.cogserver.xml and cogstartup.xml
- D.cogstartup.xsd and coglocale.xsd

Answer:B

2.Which is true about the Cognos 8 Tempfiles?

- A.Access rights should only be given to the service account that starts the Cognos 8 Service.
- B.Cognos recommends that Temporary files remain on the installation drive.
- C.They are secured to the UserID for whom they were created.
- D.They must remain un-encrypted at all times.

Answer:A

3.High Affinity Requests are processed by a High Affinity Connection. Low Affinity Requests are processed by a Low Affinity Connection. What type of connection will process an Absolute Affinity Request?

- A.A Low Affinity Connection
- B.A Medium Affinity Connection
- C.A High Affinity Connection
- D.A Direct Affinity Connection

Answer:C

4.A customer has asked if it is possible to tune the Tomcat application server for better scalability. Which of these will specifically tune the Tomcat application server?

- A.Tune the FetchBufferSize in the Cogdmor.ini.
- B.Tune the Compression Ratio in the MetaBase.xml.
- C.Tune the ConnectionPoolSize in the CqeConfig.xml.
- D.Tune the AcceptCount and MaxProcessors in the Server.xml.

Answer:D

5.Which of the following is a high-affinity request?

- A.HTML page down
- B.Test data source connectivity
- C.Report processing
- D.Query validation

Answer:A

6.Which Cognos 8 Service runs outside the servlet container?

- A.Job Service
- B.Delivery Service
- C.Data Integration

D.Report Service

Answer:D

7.What protocol is required for securing Cognos 8 in a Linux/UNIX environment with Active Directory?

- A.Active Directory Protocol
- B.Bouncy Castle
- C.LDAP protocol
- D.OAS for Linux Drivers

Answer:C

8.What is true about Content Manager?

- A.It requires an external security provider.
- B.It provides metadata to other Cognos services.
- C.It can only have one Stand-by Content Manager per environment.
- D.It may be load balanced.

Answer:B

9.What protocol is used for the BIBus inter-component communication?

- A.HTML
- B.TCP/IP
- C.HTTP
- D.HTTPS

Answer:B

10.When trying to access the Cognos 8 BI application, users are receiving a HTTP 404 error. What may be the cause of this error?

- A.URL buffer length has been exceeded.
- B.Too many users accessing the web page.
- C.Cognos 8 virtual directories have not been created.
- D.Access is being denied by security.

Answer:C