

**Exam : HP HP0-S16**

**Title : Implementing HP Bladesystem**

**Version : DEMO**

<http://www.test4actual.com>

1.

What is the minimum number of power supplies required in a BladeSystem c-Class when using three-phase power?

- A.2
- B.3
- C.6
- D.8

ANSWER: C

3.

Which processors use a 64-bit x86-based architecture? (Select two.)

- A.Intel Itanium
- B.AMD Opteron
- C.Intel Pentium IV
- D.Intel Pentium M
- E.Intel Xeon Quad Core

ANSWER: BE

4.

Which HP BladeSystem c-Class server blades support HP-UX? (Select two.)

- A.BL465c
- B.BL680c
- C.BL685c
- D.BL860c
- E.BL870c
- F.BL2x220c

ANSWER: DE

5.

What is the function of ECC memory?

- A.It only detects single-bit errors.
- B.It detects and corrects single-bit errors.
- C.It detects multi-bit errors within a single DRAM chip.
- D.It detects and corrects multi-bit errors within a single DRAM chip.

ANSWER: B

6.

Which storage technology is used with Serial Attached SCSI?

- A. NUMA
- B. shared bus
- C. one-to-many
- D. point-to-point

ANSWER: D

7.

Which options exist when you enable HP NIC teaming? (Select two.)

- A. fault tolerance
- B. CISCO Layer 4 teaming
- C. socket layered balancing
- D. NIC assisted load balancing
- E. switch assisted load balancing

ANSWER: AE

8.

Which HP server blade uses the Itanium processor?

- A. SB40c
- B. BL485c
- C. BL685c
- D. BL860c
- E. BL2x220c

ANSWER: D

9.

How is BladeSystem Integrated Manager installed by default?

- A. as part of a SmartStart installation
- B. with the initial installation of HP SIM
- C. as an add-on after HP SIM is installed
- D. with a separate license key in HP SIM

ANSWER: B

10.

Which Onboard Administrator is the primary by default?

- A.the left one
- B.the right one
- C.the active one
- D.the first one installed

ANSWER: A

11.

You have a c7000 BladeSystem enclosure that uses single phase power with six power supply modules.

What happens to the Insight Display of this enclosure when one of the power cables is disconnected from the enclosure?

- A.The Insight Display unit sends out SNMP alerts to the SNMP trap destination.
- B.The Insight Display unit produces an alert beep sound and flashes the display LCD.
- C.The Insight Display unit displays an alert indicating the power supply unit that lost power.
- D.The Insight Display unit initiates a self-reconfiguration of the power setting to N+N redundancy.

ANSWER: C

12.

Which HP rack option makes it possible to deploy up to 35KW in a single rack?

- A.Direct Cooling Package
- B.Modular Cooling System
- C.Dynamic Smart Cooling System
- D.10000 Series Rack system with PARSEC architecture

ANSWER: B

13.

Which rack models are compatible with the HP BladeSystem c-Class enclosures? (Select three.)

- A.HP Rack (RB1)
- B.HP 5000 Series
- C.Compaq 7000 Series
- D.HP/Compaq 10000 Series
- E.HP Rack System/E (RB11)


ANSWER: BDE

14.

Click the Exhibit button.

What is the recommended placement when using three power supplies in a single-phase c7000 Enclosure? (Select three.)

- A.1
- B.2
- C.3
- D.4
- E.5
- F.6



ANSWER: ABD

15.

Which HP Smart Array controller is used in an HP StorageWorks SB40c Storage Blade?

- A.E200
- B.P400
- C.P600
- D.P800
- E.SA6402

ANSWER: B