

Test4actual, 100% Accurate Answers!!!



Help you pass any IT exam!

Network Appliance NS0-153

Network Appliance Storage Networking

Q&A DEMO

English: www.Test4actual.com

BIG5: www.Test4actual.net

GB: www.Test4actual.cn

www.test4actual.com

1

If you change the setting for the option `cifs.neg_buf_size`, you need to terminate CIFS on the storage appliance and do a restart for the changes to take effect.

- A. True
- B. False

Answer: A

2

If the client is a CIFS client, locks are _____.

- A. advisory
- B. mandatory
- C. ordered
- D. optional

Answer: B

3

To view per client NFS statistics on the storage appliance, options `nfs.per_client_stats`, enable must be turned on.

- A. True
- B. False

Answer: A

4

Three methods of creating a LUN are:

- *Iun setup
- *Iun map
- *FileView

- A. True
- B. False

Answer: A

5

Applications, such as databases, running on NAS or iSCSI or FC SAN must be _____?

- A. prepared for snapshots by flushing buffers to disk and momentarily suspending activity.
- B. disconnected from their storage resources during the snapshot.
- C. using dynamic multipathing during a backup.
- D. mirrored with a host-based volume manager to be backed-up.

Answer: A

6

To export volumes and directories automatically on reboot, include them in the `/etc/exports` file.

- A. True
- B. False

Answer: A

7

Using the output below, a co-worker determined that these are type "Solaris" LUNs. What would your determination be?

```
lun show-m
```

```
LUN path Mapped to LUN ID
```

/vol/vol/lun0 solaris-igroup0 0
/vol/vol/lun1 solaris-igroup1 0
/vol/vol/qtrees1/lun2 solaris-igroup2 0
/vol/vol/qtrees1/lun3 solaris-igroup3 0

- A. These are type "Solaris" LUNs.
- B. These are NFS LUNs, but the exact OS cannot be determined.
- C. Not enough information is given here. Run the lun show-v command to get the information requested.
- D. Not enough information is given here. Run the lun map command to get the information requested.

Answer: C

8

Which one of the following will enable "symlink_strict_security"?

- A. options cifs.symlink_strict_security on
- B. cifs shares -change <sharename> -symlink_strict_security
- C. options symlink_strict_security=true
- D. options symlink_strict_security =on

Answer: B

9

To configure a storage system as a member of an active directory, the time on the storage system must be synchronized with the time on the Domain Controller.

- A. True
- B. False

Answer: A

10

The write able snapshot that is created for a LUN clone depends on _____?

- A. mirroring.
- B. the snapshot taken at the time the clone was created.
- C. exclusive access to the volume.
- D. the data in the original LUN not changing.

Answer: B

11

Which command is the most appropriate for troubleshooting a multiprotocol authentication problem?

- A. wcc
- B. rdfile /etc/rc
- C. priv set advanced
- D. sysstat 1

Answer: A

12

A quota target can be defined as _____?

- A. the maximum amount of disk space in a volume.
- B. the maximum number of files in a disk.

- C. a user, group, or qtree to which a quota is applied.
- D. a specific disk space threshold.

Answer: C

13

Which three are used for creating LUNs on the storage appliance? (Choose 3)

- A. lun create
- B. lun setup
- C. FileView
- D. lun config

Answer: A, B, C

14

What is the outcome of this command?

```
lun create -b /vol/vol2/.snapshot/testsnap/lun0 /vol/vol2/lun0.clone
```

- A. It creates a duplicate of the clone process of lun0.
- B. It creates a clone of the writeable snapshot of lun0
- C. It creates a writeable snapshot of lun0.
- D. It creates a snapshot "testsnap" of vol2.

Answer: C

15

Which security method encrypts the data?

- A. IPSec
- B. CHAP
- C. LUN masking
- D. Header and Data Digests

Answer: A