

**Exam : EMC E20-593**

**Title : Backup & Recovery  
Implementation Exam**

**Version : Demo**

---

1. Which NetWorker command can be used to find out the dates that a specific save set has been backed up?

- A.mminfo
- B.mmls
- C.nsrinfo
- D.nsrfs

**Answer: A**

2. You are designing a backup schedule for a file system that changes frequently.

Which NetWorker weekly backup schedule results in the fastest recovery?

- A.Full incr incr incr incr incr incr
- B.Full 1 2 3 4 5 6
- C.Full 4 7 4 7 4 7
- D.Full 8 8 8 8 8 8

**Answer: D**

3. Which NetWorker server daemon is responsible for starting other server and storage node daemons?

- A.nsr
- B.nsrjobd
- C.nsrmmdbd
- D.nsrmmgd

**Answer: A**

4. You want to make sure that only NetWorker Server S1 can back up client C1's data. What do you need to do?

- A.Add C1 to /nsr/res file on the NetWorker Server S1
- B.Add C1 to /nsr/res/clients file on the NetWorker Server S1
- C.Add S1 to /nsr/res/permissions on the client machine C1
- D.Add S1 to /nsr/res/servers file on the client machine C1

**Answer: D**

5. You noticed that a full level save set is still browsable even after its browse time has expired. What could be the cause?

- A.A clone of the save set exists and has a longer retention period
- B.Incremental save sets depending upon this full save set are still browsable
- C.The volume containing the save set is still browsable
- D.There was a read error on the volume containing the save set, giving it a "suspect" status

---

**Answer: B**

6. The status of a volume was prematurely set to full. Which command can be used to change the status of the volume to continue writing to it?

A.jbedit

B.mminfo

C.nsrck

D.nsrmm

**Answer: D**

7. You are designing a solution for a customer using NetWorker and PowerSnap, to create and back up copy on write (CoW) snapshots of a STD device on a DMX-3 accessed from a Solaris 9 application host. The STD volume size is 300 GB with a change rate of 10%.

What is the minimum VDEV (Virtual Device) size needed?

A.30 GB

B.270 GB

C.300 GB

D.330 GB

**Answer: C**

8. Which NetWorker Management Console server daemon acts as a mini web server and responds to the initial http request from console clients?

A.dbsrv9

B.gstd

C.gsttclsh

D.nsrđ

**Answer: C**

9. Which NetWorker feature allows writing more than one save set at a time?

A.Advanced file type device

B.Multiplexing

C.Open tape format

D.Remote backup device

**Answer: B**

10. A customer wants to back up two NetWorker clients at the same time every day.

Which NetWorker resource is configured to include both clients?

A.Group

B.Policy

C.Pool

---

D.Schedule

**Answer: A**

11. Which NetWorker process initiates negotiation with nsrd during a client-initiated backup?

A.nsrexecd

B.nsrindexd

C.nsrlicpd

D.nsrmmdbd

**Answer: A**

12. Which NetWorker daemon is responsible for the communication between nsrjb and the user interface?

A.nsr

B.nsrexecd

C.nsrlicpd

D.nsrmmgd

**Answer: D**

13. Which NetWorker process runs on each storage node?

A.nsr

B.nsrexecd

C.nsrjobd

D.nsrmmmd

**Answer: D**

14. What manages a NetWorker remote device?

A.A host outside the NetWorker data zone

B.A storage node other than the NetWorker server

C.Another NetWorker server

D.Remote administration tools

**Answer: B**

15. In an EDL environment, what describes the use of Tape Cloning with the embedded storage node once the data has been backed up to virtual tape?

A.Backup application issues clone command; EDL copies save sets to physical tape with different barcode

B.Backup application issues clone command; EDL copies save sets to physical tape with same barcode

C.Backup application issues eject command; EDL moves backup data to physical tape with different barcode

D.Backup application issues eject command; EDL moves backup data to

---

physical tape with same barcode

**Answer: A**

16. A company wants to use a CX3-80 with FLARE 24 as a backup-to-disk destination device. ATA disks are being included as part of the solution.

Which RAID type should be used?

- A.RAID 0
- B.RAID 3
- C.RAID 5
- D.RAID 1/0

**Answer: C**

17. You are configuring two LUNs with 1.5 TB each in a CLARiiON CX3-80.

They will be used as backup-to-disk destination devices on a single Windows NetWorker server.

Which license (option) is needed?

- A.ClientPak
- B.Disk Backup
- C.Storage Node
- D.Virtual Tape Library

**Answer: B**

18. Which process monitors active recover sessions?

- A.ansrd
- B.nsr
- C.nsrdbd
- D.nsrrexd

**Answer: A**

19. Which Celerra NS/CLARiiON tool is used to replicate both data and catalog to a remote site?

- A.SRDF
- B.MirrorView
- C.Celerra SnapSure
- D.Celerra Replicator

**Answer: B**

20. In a Windows environment, the NetWorker nsrd process will not start because the resource database is corrupt.

How can the resource information be recovered?

- A.Remove ...\\nsr\\index, start nsrd, and run mmrecov
- B.Remove ...\\nsr\\res, start nsrd, and run mmrecov

---

C.Rename ...\\nsr\\index, start nsrd, and run recover

D.Rename ...\\nsr\\mm, start nsrd, and run mmrecov

**Answer: B**